



UNITED STATES PATENT AND TRADEMARK OFFICE

UNITED STATES DEPARTMENT OF COMMERCE
United States Patent and Trademark Office
Address: COMMISSIONER FOR PATENTS
P.O. Box 1450
Alexandria, Virginia 22313-1450
www.uspto.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.
10/596,948	04/02/2007	Chad J. Carter	60342US002	2830
32692 7590 03/31/2010 3M INNOVATIVE PROPERTIES COMPANY PO BOX 33427 ST. PAUL, MN 55133-3427				
EXAMINER NAGPAUL, JYOTI				
ART UNIT 1797		PAPER NUMBER		
NOTIFICATION DATE 03/31/2010		DELIVERY MODE ELECTRONIC		

Please find below and/or attached an Office communication concerning this application or proceeding.

The time period for reply, if any, is set in the attached communication.

Notice of the Office communication was sent electronically on above-indicated "Notification Date" to the following e-mail address(es):

LegalUSDocketing@mmm.com
LegalDocketing@mmm.com

Office Action Summary

Application No.

10/596,948

Applicant(s)

CARTER ET AL.

Examiner

JYOTI NAGPAUL

Art Unit

1797

-- The MAILING DATE of this communication appears on the cover sheet with the correspondence address --
Period for Reply

A SHORTENED STATUTORY PERIOD FOR REPLY IS SET TO EXPIRE 3 MONTH(S) OR THIRTY (30) DAYS, WHICHEVER IS LONGER, FROM THE MAILING DATE OF THIS COMMUNICATION.

- Extensions of time may be available under the provisions of 37 CFR 1.136(a). In no event, however, may a reply be timely filed after SIX (6) MONTHS from the mailing date of this communication.
- If NO period for reply is specified above, the maximum statutory period will apply and will expire SIX (6) MONTHS from the mailing date of this communication.
- Failure to reply within the set or extended period for reply will, by statute, cause the application to become ABANDONED (35 U.S.C. § 133). Any reply received by the Office later than three months after the mailing date of this communication, even if timely filed, may reduce any earned patent term adjustment. See 37 CFR 1.704(b).

Status

- 1) ☒ Responsive to communication(s) filed on 04 January 2010.
- 2a) ☐ This action is **FINAL**. 2b) ☒ This action is non-final.
- 3) ☐ Since this application is in condition for allowance except for formal matters, prosecution as to the merits is closed in accordance with the practice under *Ex parte Quayle*, 1935 C.D. 11, 453 O.G. 213.

Disposition of Claims

- 4) ☒ Claim(s) 1-40 is/are pending in the application.
- 4a) Of the above claim(s) 21-26, 33, 34 and 40 is/are withdrawn from consideration.
- 5) ☐ Claim(s) _____ is/are allowed.
- 6) ☒ Claim(s) 1-20, 27-32 and 35-39 is/are rejected.
- 7) ☐ Claim(s) _____ is/are objected to.
- 8) ☐ Claim(s) _____ are subject to restriction and/or election requirement.

Application Papers

- 9) ☐ The specification is objected to by the Examiner.
- 10) ☐ The drawing(s) filed on _____ is/are: a) ☐ accepted or b) ☐ objected to by the Examiner.
Applicant may not request that any objection to the drawing(s) be held in abeyance. See 37 CFR 1.85(a).
Replacement drawing sheet(s) including the correction is required if the drawing(s) is objected to. See 37 CFR 1.121(d).
- 11) ☐ The oath or declaration is objected to by the Examiner. Note the attached Office Action or form PTO-152.

Priority under 35 U.S.C. § 119

- 12) ☐ Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f).
- a) ☐ All b) ☐ Some * c) ☐ None of:
1. ☐ Certified copies of the priority documents have been received.
 2. ☐ Certified copies of the priority documents have been received in Application No. _____.
 3. ☐ Copies of the certified copies of the priority documents have been received in this National Stage application from the International Bureau (PCT Rule 17.2(a)).

* See the attached detailed Office action for a list of the certified copies not received.

Attachment(s)

- 1) ☒ Notice of References Cited (PTO-892)
- 2) ☐ Notice of Draftperson's Patent Drawing Review (PTO-948)
- 3) ☒ Information Disclosure Statement(s) (PTO/SB06)
Paper No(s)/Mail Date _____
- 4) ☐ Interview Summary (PTO-413)
Paper No(s)/Mail Date _____
- 5) ☐ Notice of Informal Patent Application
- 6) ☐ Other: _____

DETAILED ACTION

Election/Restrictions

Claims 21-26, 33-34 and 40 are withdrawn from further consideration pursuant to 37 CFR 1.142(b) as being drawn to a nonelected invention, there being no allowable generic or linking claim. Election was made **without** traverse in the reply filed on January 4, 2010. Claims 1-20, 27-32 and 35-39 are pending.

Claim Rejections - 35 USC § 102

1. The following is a quotation of the appropriate paragraphs of 35 U.S.C. 102 that form the basis for the rejections under this section made in this Office action:

A person shall be entitled to a patent unless –

(b) the invention was patented or described in a printed publication in this or a foreign country or in public use or on sale in this country, more than one year prior to the date of application for patent in the United States.

2. **Claims 1-9 and 11-17** are rejected under 35 U.S.C. 102(b) as being anticipated by Buechler (US 6156270).

Buechler teaches a detection cartridge comprising a housing (9) comprising an interior volume, a sensor operably attached to the housing, refer to Col. 7, lines 4-7, the sensor comprising a detection surface. It is inherent that that aousto-mechanical sensor has a detection surface and it must be attached to the device of Buechler. Buechler further teaches a detection chamber (6) located within the interior volume of the housing (9). The detection chamber (6) comprises a volume defined by the detection surface and an opposing surface spaced apart from and facing the detection surface, wherein the opposing surface comprises a flow front control feature (grooves). (Refer to Figure 1) Buechler further teaches a waste chamber (7) located within the interior volume of

the housing (9), the waste chamber in fluid communication with the detection chamber (6). (Refer to Figure 1) According to Col. 7, Lines 4-7, the detection surface comprises an acousto-mechanical waveguide and a surface acoustic wave acousto-mechanical sensor. According to Figures 1-1A, the flow front control feature (grooves) comprises discrete structures protruding from and separated by a land area on the opposing surface of the detection chamber and the flow front control feature (grooves) comprises one or more channels in the opposing surface of detection chamber (6). According to Figure 1, at least one channel of the one or more channels is oriented generally perpendicular to a longitudinal axis defined within the detection chamber (6) between an input end and an output end of the waste chamber (7). The flow front control feature (groove) comprises one or more regions of hydrophobic material occupying a portion of the opposing surface and one or more regions of hydrophilic material occupying a portion of the opposing surface. (Refer to Col. 5, Lines 40-50) Buechler further teaches at least one pair of successive bands of hydrophobic material and hydrophilic material wherein each pair of successive bands extends across a width of the detection chamber (6). (Refer to Col. 5, Lines 40-50 and Figure 1) Buechler further teaches the cartridge further comprises capillary structure, refer to figure 2, located between the detection chamber (6) and the waste chamber (7). Buechler further teaches a vent, refer to col. 4, line 37, that, when open, places the interior volume of the housing in fluid communication with ambient atmosphere around the cartridge. Buechler further teaches the vent comprises a closure element (64). (Refer to Col. 36, Lines 1-6)

Claim Rejections - 35 USC § 103

3. The following is a quotation of 35 U.S.C. 103(a) which forms the basis for all obviousness rejections set forth in this Office action:

(a) A patent may not be obtained though the invention is not identically disclosed or described as set forth in section 102 of this title, if the differences between the subject matter sought to be patented and the prior art are such that the subject matter as a whole would have been obvious at the time the invention was made to a person having ordinary skill in the art to which said subject matter pertains. Patentability shall not be negated by the manner in which the invention was made.

4. The factual inquiries set forth in *Graham v. John Deere Co.*, 383 U.S. 1, 148 USPQ 459 (1966), that are applied for establishing a background for determining obviousness under 35 U.S.C. 103(a) are summarized as follows:

1. Determining the scope and contents of the prior art.
2. Ascertaining the differences between the prior art and the claims at issue.
3. Resolving the level of ordinary skill in the pertinent art.
4. Considering objective evidence present in the application indicating obviousness or nonobviousness.

5. This application currently names joint inventors. In considering patentability of the claims under 35 U.S.C. 103(a), the examiner presumes that the subject matter of the various claims was commonly owned at the time any inventions covered therein were made absent any evidence to the contrary. Applicant is advised of the obligation under 37 CFR 1.56 to point out the inventor and invention dates of each claim that was not commonly owned at the time a later invention was made in order for the examiner to consider the applicability of 35 U.S.C. 103(c) and potential 35 U.S.C. 102(e), (f) or (g) prior art under 35 U.S.C. 103(a).

6. **Claim 10** is rejected under 35 U.S.C. 103(a) as being unpatentable over Buechler.

Refer above for the teachings of Buechler.

Buechler fails to explicitly teach absorbent material located within the waste chamber (7). Buechler does teach filter elements in the sample addition zone (1) to filter particulates from the sample. (Refer to Col. 8, Lines 50-55)

It would have been obvious to one having ordinary skill in the art to provide the waste chamber of Buechler with an absorbent material in order to filter particulates from the sample.

Claim Rejections - 35 USC § 103

7. The following is a quotation of 35 U.S.C. 103(a) which forms the basis for all obviousness rejections set forth in this Office action:

(a) A patent may not be obtained though the invention is not identically disclosed or described as set forth in section 102 of this title, if the differences between the subject matter sought to be patented and the prior art are such that the subject matter as a whole would have been obvious at the time the invention was made to a person having ordinary skill in the art to which said subject matter pertains. Patentability shall not be negated by the manner in which the invention was made.

8. The factual inquiries set forth in *Graham v. John Deere Co.*, 383 U.S. 1, 148 USPQ 459 (1966), that are applied for establishing a background for determining obviousness under 35 U.S.C. 103(a) are summarized as follows:

1. Determining the scope and contents of the prior art.
2. Ascertaining the differences between the prior art and the claims at issue.
3. Resolving the level of ordinary skill in the pertinent art.
4. Considering objective evidence present in the application indicating obviousness or nonobviousness.

9. **Claims 18-20** are rejected under 35 U.S.C. 103(a) as being unpatentable over Buechler in view of Wiegner (US 4103772).

Refer above for the teachings of Buechler.

Buechler fails to teach one or more sealed modules, wherein each module of the one or more sealed modules comprises an exit port attached to the cartridge housing

through one or more module ports that open into the interior volume of the cartridge housing, and wherein each module further comprises: a module housing comprising an exit port and a sealed interior volume, an exit seal located over the exit port of the module; and a plunger located within the interior volume of the module housing, wherein the plunger is movable from a loaded position in which the plunger is distal from the exit port to an unloaded position in which the plunger is proximate the exit port; wherein movement of the plunger towards the exit port opens the exit seal such that material from the interior volume of the module housing exits through the exit port into the interior volume of the cartridge housing.

Wiegner teaches disposable container comprising a module housing comprising an exit port and a sealed interior volume, an exit seal located over the exit port of the module; and a plunger (6) located within the interior volume of the module housing (2), wherein the plunger is movable from a loaded position in which the plunger is distal from the exit port to an unloaded position in which the plunger is proximate the exit port; wherein movement of the plunger towards the exit port opens the exit seal such that material from the interior volume of the module housing exits through the exit port into the interior volume of the cartridge housing. (Refer to Figure 1)

It would have been obvious to one having ordinary skill in the art to provide the device of Buechler with the container of Wiegner in order to ensure no contamination of sample when introducing the sample to the sample addition zone of Buechler.

Claim Rejections - 35 USC § 102

10. The following is a quotation of the appropriate paragraphs of 35 U.S.C. 102 that form the basis for the rejections under this section made in this Office action:

A person shall be entitled to a patent unless –

(b) the invention was patented or described in a printed publication in this or a foreign country or in public use or on sale in this country, more than one year prior to the date of application for patent in the United States.

11. **Claims 27-32 and 35-39** are rejected under 35 U.S.C. 102(b) as being anticipated by Wiegner (US 4103722).

Wiegner teaches a housing (2) comprising an exit port and a sealed interior volume, refer to figure 1, an exit seal located over the exit port (4), a first chamber (11) located within the interior volume of the housing (2), the first chamber comprising a liquid located therein, refer to Figure 1, a second chamber (1) located within the interior volume of the housing (2), the second chamber comprising a reagent located therein, refer to Figure 1, an inter-chamber seal (7) isolating the second chamber from the first chamber within the housing (2) and a plunger (6), wherein the first chamber, the inter-chamber seal, the second chamber, and the exit seal are located between the plunger and the exit port. (Refer to Figure 1) The plunger (6) is movable from a loaded position in which the plunger is distal from the exit port to an unloaded position in which the plunger is proximate the exit port. The movement of the plunger (6) towards the exit port (4) opens the inter-chamber seal (7) such that the liquid in the first chamber contacts the reagent in the second chamber and the unloaded position opens the exit seal such that the liquid and the reagent from the interior volume of the housing exit through the exit port (4). The plunger (6) comprises a tip, refer to Figure 1,, wherein

the tip faces the inter-chamber seal and wherein the tip pierces the inter-chamber seal to open the inter-chamber seal.

Conclusion

Any inquiry concerning this communication or earlier communications from the examiner should be directed to JYOTI NAGPAUL whose telephone number is (571)272-1273. The examiner can normally be reached on Monday thru Friday (10:00-7:30).

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Jill Warden can be reached on 571-272-1267. The fax phone number for the organization where this application or proceeding is assigned is 571-273-8300.

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see <http://pair-direct.uspto.gov>. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free). If you would like assistance from a USPTO Customer Service Representative or access to the automated information system, call 800-786-9199 (IN USA OR CANADA) or 571-272-1000.

/Jyoti Nagpaul/
Examiner, Art Unit 1797

Application/Control Number: 10/596,948
Art Unit: 1797

Page 9